

INVITATION FOR BIDS
COLORADO COUNTY JAIL CELL PAINTING PROJECT

Commissioners Court of Colorado County, Texas, will receive sealed bids for the painting of jail cells and related surfaces at the Colorado County Jail located at 2215 Walnut Street, Columbus, Texas 78934.

Bid Submission Details

- **Deadline:** July 20, 2026, no later than 2:00 p.m.
- **Submit To:** Colorado County Judge's Office, 400 Spring Street, Room 107, Columbus, Texas 78934
- **Public Opening:** Held at 2:00 p.m. on July 20, 2026, in Room 101
- **Submission Format:** All bids must be in a sealed envelope clearly marked "Colorado County Jail Cell Painting Project"

Bidder will use lump sum pricing as per specifications. Payment will be made upon receipt of invoice after delivery and proper processing by the Commissioners Court.

Colorado County is exempt from State Sales Tax and Federal Excise Tax.

The Commissioners Court reserves the right to reject any or all bids, waive formalities, and accept the bid determined to be in the best interest of the County.

1. Scope of Work

The contractor shall furnish all labor, materials, equipment, supervision, and incidentals necessary to complete the project in accordance with the specifications included in this bid packet.

2. Bonds and Insurance

Prior to the commencement of work, the successful bidder must provide the following:

- **Payment Bond:** Required if the contract exceeds \$25,000 (equal to 100% of the total contract amount).
- **Payment and Performance Bonds:** Both required if the contract exceeds \$100,000 (each at 100% of the total contract amount).

All bonds must be submitted to the County Judge's Office within 10 days of award notification and issued by a corporate surety licensed in Texas.

- Insurance Coverage: Workers' Compensation and General Liability coverage of not less than \$1,000,000 per occurrence. A Certificate of Insurance naming Colorado County as an additional insured must be delivered to the County Judge's Office within 10 days of award notification.

3. Required Forms

- Conflict of Interest Questionnaire Form CIQ (available online at Texas Ethics Commission website <https://www.ethics.state.tx.us/forms/conflict/>)
- Certificate of Interested Parties Form 1295 (available online at Texas Ethics Commission website <https://www.ethics.state.tx.us/filinginfo/1295/>)
- Residence Certification (enclosed)

4. County Contacts

- Bidding Process & Forms: Colorado County Judge's Office | Phone: (979) 732-2604 | Email: sharon.marsalia@co.colorado.tx.us.
- Project Scope & Specifications: Captain Ashley Laake, Colorado County Sheriff's Office | Phone: (979) 732-2388 ext. 649 | Email: ashley.laake@co.colorado.tx.us.

CONTRACTOR BID SUBMISSION FORM

LEGAL NAME OF CONTRACTING COMPANY

FEDERAL I.D.# (Company or Corporation)

SOCIAL SECURITY # (Individual)

CONTACT PERSON

TITLE

MAILING ADDRESS

CITY & STATE

ZIP CODE

TELEPHONE NUMBER

EMAIL ADDRESS

TOTAL BID PRICE:

LABOR: \$ _____

MATERIALS: \$ _____

TOTAL BID : \$ _____

All work required in this invitation for bids will be completed within _____ calendar days after issuance of a purchase order by Colorado County.

SIGNATURE

PRINT NAME

CCSO Jail Cells Scope of Work

Contractor will Sand, Prep, Prime, and Paint all walls, ceilings, lock/electrical chases boxes and bars. Ceilings need to be Kilz. All Materials per Specs required by County.

Paint to be used (Data Sheet Attached):

MACROPOXY 646 – Fast Cure Epoxy Mastic

Quantity of Cells, styles and footprint/square foot measurements listed.

Male Cells:

Holding Cells:

Qty. 2 (9ft x 18ft)

Seg Cells:

Qty. 9 (9.5ft x 12ft)

Dorm Style:

Qty. 5 (33ft x 12ft)

Bars, Doors, Lock Chases

Qty. 5

Individual Cells in 8-man tank, plus dayroom:

Qty. 5 dayrooms (21ft x 11ft)

Qty. 40 (9ft x 5ft)

Bars, Doors, Lock Chases

Qty. 5 (77ft x 5ft)

Female Cells:

Holding 801 (9ft x 12ft; 2ft x 12ft)

802 (13ft x 12ft)

803 (9ft x 8ft)

804 (9ft x 8ft)

805 (20ft x 24ft)

Bars, Doors, Lock Chases

Qty. 4



Protective & Marine Coatings

PRODUCT DATA SHEET



MACROPOXY® 646

FAST CURE EPOXY MASTIC

Revised: April 10, 2026

PRODUCT DESCRIPTION

MACROPOXY 646 Fast Cure Epoxy Mastic is a high solids, high build, fast drying, polyamide epoxy designed to protect steel and concrete in industrial exposures. Ideal for maintenance painting and fabrication shop applications. The high solids content ensures adequate protection of sharp edges, corners, and welds. This product can be applied directly to marginally prepared steel surfaces.

INTENDED USES

- Recommended for marine applications, refineries, offshore platforms, fabrication shops, chemical plants, tank exteriors, power plants, water treatment plants, and mining and minerals industry
- Factory ground formulas are available for subsea/immersion service. For a full list of shades please consult Sherwin-Williams

PRODUCT DATA

Finish:	Semi-Gloss
Colors:	Mill White, Black and a wide range of colors available through tinting
Volume Solids:	72% ± 2%, mixed, Mill White
VOC (mixed):	<250 g/L; 2.08 lb/gal
Mix Ratio:	1:1 by volume
Typical Thickness:	

Recommended Spreading Rate per coat:

	Minimum	Maximum
Wet mils (microns)	7.0 (175)	13.5 (338)
Dry mils (microns)	5.0* (125)	10.0 (250)
~Coverage sq ft/gal (m²/L)	115 (2.9)	230 (5.8)

Theoretical coverage **sq ft/gal (m²/L) @ 1 mil / 25 microns dft** **1152** (28.2)

*May be applied at 3.0-10.0 mils (75-250 microns) dft as an intermediate in a multicoat system.

NOTE: Brush or roll application may require multiple coats to achieve maximum film thickness and uniformity of appearance.

Shelf Life: 36 months, unopened
Store indoors at 40°F (4.5°C) to 110°F (43°C).

Flash Point: 91°F (33°C), TCC, mixed

Reducer/Clean Up¹: VOC Restricted Areas (<250 g/L): use Reducer #111 or Oxsol 100

Weight: 12.9 ± 0.2 lb/gal ; 1.55 Kg/L, mixed, may vary by color

¹Other areas (<340 g/L): use Reducer #111, Oxsol 100, Reducer #15, Reducer #58, or MEK up to 10%. Choose a reducer that is compliant in your area. Confirm compliance with state and local air quality rules before use.

Average Drying Times @ 7.0 mils (175 microns) wet:

	35°F (1.7°C)	77°F (25°C)	100°F (38°C)
	50% RH	50% RH	50% RH
Touch:	4-5 hours	2 hours	1.5 hours
Handle:	48 hours	8 hours	4.5 hours

Recoat:			
minimum:	48 hours	8 hours	4.5 hours
maximum:	1 year	1 year	1 year

Cure to service:

atmospheric:	10 days	7 days	4 days
immersion:	14 days	7 days	4 days

Average Drying Times as intermediate @ 5.0 mils (125 microns) wet:

Touch:	3 hours	1 hour	1 hour
Handle:	48 hours	4 hours	2 hours
Recoat:			

minimum:	16 hours	4 hours	2 hours
maximum:	1 year	1 year	1 year

If maximum recoat time is exceeded, abrade surface before recoating.

Drying time is temperature, humidity, and film thickness dependent.

Paint temperature must be 40°F (4.5°C) minimum.

Pot Life:	10 hours	4 hours	2 hours
Sweat-in-time:	30 minutes	30 minutes	15 minutes

SURFACE PREPARATION

Surface must be clean, dry, and in sound condition. Remove all oil, dust, grease, dirt, loose rust, and other foreign material to ensure adequate adhesion.

Minimum recommended surface preparation:

Iron & Steel:	Atmospheric: SSPC-SP2/3/ ISO8501-1:2007 St 2 or SSPC-SP WJ-3 / NACE WJ-3L Immersion: SSPC-SP10 / NACE 2/ ISO8501-1:2007 Sa 2.5, 2-3 mil (50-75 micron) profile or SSPC-SP WJ-2/NACE WJ-2L
Stainless Steel:	Atmospheric: SSPC-SP16, 1 mil (25 micron) profile
Aluminum & Galvanizing:	SSPC-SP1. If surface has not be weathered for more than 6 months, follow SSPC-SP1 then SSPC-SP16. For fire proofing projects, consult a Sherwin-Williams representative for surface preparation requirements.
Concrete & Masonry:	Atmospheric: SSPC-SP13/NACE 6, or ICRI No. 310.2R CSP 1-3 Immersion: SSPC-SP13/NACE 6-4.3.1
Ductile Iron Pipe:	Atmospheric: NAPF 500-03-03 Power Tool Cleaning Buried & Immersion: NAPF 500-03-04 Abrasive Blast Cleaning Cast Ductile Iron Fittings: NAPF 500-03-05 Abrasive Blast Cleaning



MACROPOXY® 646

FAST CURE EPOXY MASTIC

APPLICATION			APPLICATION CONDITIONS		
Airless Spray* Pump 30:1 Pressure 2800-3000 psi (193-206 bar) Hose 1/4" ID (6.3 mm) Tip 0.17"-0.23" (0.43-0.58 mm) Filter 60 mesh Reduction As needed up to 10% by volume			Temperature: Air: 35°F (1.7°C) minimum, 120°F (49°C) maximum Surface*: 35°F (1.7°C) minimum, 250°F (120°C) maximum Material: 40°F (4.5°C) minimum At least 5°F (2.8°C) above dew point Relative humidity: 85% maximum		
Conventional Spray* Gun DeVilbiss MBC-510 Fluid Tip E Air Nozzle 704 Atomization Pressure 60-65 psi (4.1-4.5 bar) Fluid Pressure 10-20 psi (0.7-1.4 bar)			*Application to surfaces above 120°F (49°C) is not recommended in VOC Restricted Areas (≤250 g/L). When spraying a surface above 120°F (49°C) in other areas (>250 g/L), please consult with your Sherwin-Williams representative.		
Brush* Brush Nylon/Polyester or Natural Bristle			APPROVALS		
Roller* Cover 3/8" woven with solvent resistant core			- Suitable for use in USDA inspected facilities - Acceptable for use in Canadian Food Processing facilities, categories: D1, D2, D3 (Confirm acceptance of specific part numbers/regex with your SW Sales Representative) - Conforms to AWWA D102 OCS #5 - Conforms to MPI # 108 - This product meets specific design requirements for non-safety related nuclear plant applications in Level II, III and Balance of Plant, and DOE nuclear facilities - Meets Class A requirements for Slip Coefficient, 0.36 @ 6 mils / 150 microns dft (Mill White only) - Approved intermediate for NEPCOAT System B - Approved to Norsok M501 system 7B (limited colors) - ISO 12944:2018 approved for C2 to CX - NSF Certified Environmental Product Declaration (EPD) available on Ecomedes - California Department of Public Health (CDPH) available on Ecomedes		
Plural Component Spray Acceptable					
*Reduction ¹ VOC Restricted Areas (<250 g/L): use Reducer #111 or Oxsol 100					
¹ Other areas (<340 g/L): use Reducer #111, Oxsol 100, or Reducer #15 up to 10%. Choose a reducer that is compliant in your area. Confirm compliance with state and local air quality rules before use.					
If specific application equipment is not listed above, equivalent equipment may be substituted.					
RECOMMENDED SYSTEMS					
Dry Film Thickness / ct.		Mils	(Microns)		
Steel & Ductile Iron, Immersion & Atmospheric					
2 Cts.	Macropoxy 646	5.0-10.0	(125-250)		
Steel, Organic Zinc Primer, Atmospheric					
1 Ct.	Zinc Clad IV (85)	3.0-5.0	(75-125)		
1 Ct.	Macropoxy 646	5.0-10.0	(125-250)		
Steel, Inorganic Zinc Primer, Atmospheric					
1 Ct.	Zinc Clad II (85)	2.0-4.0	(50-100)		
1 Ct.	Macropoxy 646	5.0-10.0	(125-250)		
Steel, Organic Zinc/Epoxy/Urethane Topcoat					
1 Ct.	Zinc Clad IV (85)	3.0-5.0	(75-125)		
1 Ct.	Macropoxy 646	3.0-10.0	(75-250)		
1 Ct.	Acrolon 7300	2.0-4.0	(50-100)		
Steel, Inorganic Zinc/Epoxy/Urethane Topcoat					
1 Ct.	Zinc Clad II (85)	2.0-4.0	(50-100)		
1 Ct.	Macropoxy 646	3.0-10.0	(75-250)		
1 Ct.	Acrolon 7300	2.0-4.0	(50-100)		
Steel, Organic Zinc/Epoxy/Polysiloxane Topcoat, Atmospheric					
1 Ct.	Zinc Clad IV (85)	3.0-5.0	(75-125)		
1 Ct.	Macropoxy 646	3.0-10.0	(75-250)		
1-2 Cts.	Sher-Loxane 800	4.0-6.0	(100-150)		
Steel: Norsok M501 System 7B/Subsea					
2 Cts.	Macropoxy 646	7.0	(175)		
Concrete/Masonry, Smooth, Immersion & Atmospheric					
2 Cts.	Macropoxy 646	5.0-10.0	(125-250)		
The systems listed above are representative of the product's use, other systems may be appropriate.					
WARRANTY					
The Sherwin-Williams Company warrants our products to be free of manufacturing defects in accord with applicable Sherwin-Williams quality control procedures. Liability for products proven defective, if any, is limited to replacement of the defective product or the refund of the purchase price paid for the defective product as determined by Sherwin-Williams. NO OTHER WARRANTY OR GUARANTEE OF ANY KIND IS MADE BY SHERWIN-WILLIAMS, EXPRESSED OR IMPLIED, STATUTORY, BY OPERATION OF LAW OR OTHERWISE, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.					
HEALTH AND SAFETY					
Refer to the SDS sheet before use. Published technical data and instructions are subject to change without notice. Contact your Sherwin-Williams representative for additional technical data and instructions.					
DISCLAIMER					
The information and recommendations set forth in this Product Data Sheet are based upon tests conducted by or on behalf of The Sherwin-Williams Company. Such information and recommendations set forth herein are subject to change and pertain to the product offered at the time of publication. Consult your Sherwin-Williams representative to obtain the most recent Product Data Sheet.					

CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor doing business with local governmental entity

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

OFFICE USE ONLY

Date Received

1 Name of vendor who has a business relationship with local governmental entity.

2 ☐ **Check this box if you are filing an update to a previously filed questionnaire.** (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

3 Name of local government officer about whom the information is being disclosed.

Name of Officer

4 Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

☐ Yes ☐ No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

☐ Yes ☐ No

5 Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

6 ☐ Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).

7

Name of signatory

Signature

Date

CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

A complete copy of Chapter 176 of the Local Government Code may be found at <http://www.statutes.legis.state.tx.us/Docs/LG/htm/LG.176.htm>. For easy reference, below are some of the sections cited on this form.

Local Government Code § 176.001(1-a): "Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on:

- (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity;
- (B) a transaction conducted at a price and subject to terms available to the public; or
- (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency.

Local Government Code § 176.003(a)(2)(A) and (B):

- (a) A local government officer shall file a conflicts disclosure statement with respect to a vendor if:

- (2) the vendor:

(A) has an employment or other business relationship with the local government officer or a family member of the officer that results in the officer or family member receiving taxable income, other than investment income, that exceeds \$2,500 during the 12-month period preceding the date that the officer becomes aware that

(i) a contract between the local governmental entity and vendor has been executed;
or

(ii) the local governmental entity is considering entering into a contract with the vendor;

(B) has given to the local government officer or a family member of the officer one or more gifts that have an aggregate value of more than \$100 in the 12-month period preceding the date the officer becomes aware that:

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor.

Local Government Code § 176.006(a) and (a-1)

- (a) A vendor shall file a completed conflict of interest questionnaire if the vendor has a business relationship with a local governmental entity and:

(1) has an employment or other business relationship with a local government officer of that local governmental entity, or a family member of the officer, described by Section 176.003(a)(2)(A);

(2) has given a local government officer of that local governmental entity, or a family member of the officer, one or more gifts with the aggregate value specified by Section 176.003(a)(2)(B), excluding any gift described by Section 176.003(a-1); or

(3) has a family relationship with a local government officer of that local governmental entity.

- (a-1) The completed conflict of interest questionnaire must be filed with the appropriate records administrator not later than the seventh business day after the later of:

- (1) the date that the vendor:

(A) begins discussions or negotiations to enter into a contract with the local governmental entity; or

(B) submits to the local governmental entity an application, response to a request for proposals or bids, correspondence, or another writing related to a potential contract with the local governmental entity; or

- (2) the date the vendor becomes aware:

(A) of an employment or other business relationship with a local government officer, or a family member of the officer, described by Subsection (a);

(B) that the vendor has given one or more gifts described by Subsection (a); or

(C) of a family relationship with a local government officer.

CERTIFICATE OF INTERESTED PARTIES**FORM 1295**

Complete Nos. 1 - 4 and 6 if there are interested parties.
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

OFFICE USE ONLY

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.

4 Name of Interested Party	City, State, Country (place of business)	Nature of Interest (check applicable)	
		Controlling	Intermediary

5 Check only if there is no Interested Party. ☐

6 UNSWORN DECLARATION

My name is _____, and my date of birth is _____.

My address is _____, _____, _____, _____, _____.
(street) (city) (state) (zip code) (country)

I declare under penalty of perjury that the foregoing is true and correct.

Executed in _____ County, State of _____, on the _____ day of _____, 20____.
(month) (year)

Signature of authorized agent of contracting business entity
(Declarant)

ADD ADDITIONAL PAGES AS NECESSARY

FORM 1295

CERTIFICATE OF INTERESTED PARTIES

Contractors are required to complete Form 1295 via the Texas Ethics Commission website. This requires registration, generation of Form 1295 with a unique Certificate Number & filing date, printing the form, and returning the form with your bid submission. Awards cannot be made without the completed filing of Form 1295.

FILING INSTRUCTIONS

Form 1295 can be generated via the Texas Ethics Commission web portal. The website and detailed instructions are located at:
<https://www.ethics.state.tx.us/filinginfo/1295/>.
Please use **CC 26-102** as the identification number.

SUBMITTAL INSTRUCTIONS

Submit your completed & signed form with your bid, quote, proposal, contract/agreement package.

Once the project has closed and has been awarded to the contractor by Commissioners Court, Colorado County will then log-in to the Texas Ethics Commission portal and acknowledge receipt of the form.

Accordingly, a new filing must be completed for each awarded contract (new, amended, extended or renewed) requiring commissioners court approval.

Thank you for your prompt attention to this request. Please contact us with any questions.

RESIDENCE CERTIFICATION

Pursuant to Texas Government Code 2252.001 *et seq.*, as amended, Colorado County requests Residence Certification. 2252.001 *et seq.* of the Government Code provides some restrictions on the awarding of a governmental contract; pertinent provisions of 2252.001 are stated below:

“Nonresident bidder” refers to a person who is not a resident

“Resident bidder” refers to a person whose principal place of business is in this state, including a contractor whose ultimate parent company or majority owner has its principal place of business in this state.

I certify that _____ is a Resident Bidder of
(Company Name)
Texas as defined in Government Code 2252.001

I certify that _____ is a Nonresident Bidder of
(Company Name)
Texas as defined in Government Code 2252.001 and our principal place of business is located in _____.
(City and State)

Signature of Authorized Company Official

Printed Name of Authorized Company Official